

***FASTEST* &  
HIGHEST  
QUALITY**

UV 3D PRINTER IN ITS CLASS

**AT THE BEST VALUE! \$ 1,900**

T-1000

**G3D**

## TECHNICAL SPECIFICATIONS

Printer Technology	DLP/SLA
Build Volume (Max)	441 cu. in
	7,225,344 cu. mm
Build Dimension (Max)	7.06 in (L) x 5.29 in (W) x 11.81 in (H)
	179.20 mm (L) x 134.40 mm (W) x 300.00 mm (H)
Thickness per layer (Z Axis)	Max 0.00472 in
	120 µm
	Min 0.00029 in
	7.50 µm
Print Speed	25 min/in - 35 min/in
	0.98 min/mm - 1.38 min/mm
Material	Photopolymer
Printer Weight	29 kg
	63.9341 lbs
Dimension	H 26.71 in
	678.50 mm
	W 17.86 in
	453.60 mm
	L 11.66 in
296.13 mm	
Input	110 - 220 VAC, 0.8A
	50 Hz - 60 Hz
Operating Temperature	17°C - 40°C
	62.6°F - 104°F
Connectivity	Wi-Fi / USB / Ethernet
System Compatibility	Windows / Mac / Linux
Supported Files	G3D, G3L / importable STL / importable OBJ

## RESIN MATERIALS

Standard



Tough



Casting



Flexible



Coming Soon


Heat Resistant



Coming Soon



# G3D



INPUT : 110 - 220 VAC, 50/60 Hz, 0,8A



C U S

[www.g3dsys.com](http://www.g3dsys.com)